



Yes, you can:

Tel: 01656 776222 Fax: 01656 776220
Email: ordersuk@invacare.com
Online Spares available at: www.invacare.co.uk

JANUARY 2022
Customer Ref:

| | |
|--------------------------|--------------------|
| Customer Ref* | Account No* |
| Contact No* | Order No* |
| Delivery Address* | Order Qty* |
| | Order date* |

Kuschall Compact 2.0

Standard Features

- Max user weight 130kg/20.5 stone
- Crash tested ISO 7176-part 19
- Hydroformed aluminium, active, folding wheelchair, with swingaway or fixed frame
- Multiple adjustments including front and rear seat heights and centre of gravity
- Hydroformed swingaway legrests, choice of 70° and 80° angles
- Hydroformed fixed frame, choice of 70° or 80° angles
- Height adjustable flip up plastic footrests
- Choice of seat widths 280mm - 500mm (11" - 20")
- Choice of 10 seat depths 320mm - 500mm (12" - 20")
- Height adjustable fixed angle backrest set at 90°
- Standard light black nylon upholstery, wipeable
- Standard push handles
- Fixed carbon clothesguards
- 5" comfort solid front castors with black tyres
- Kuschall starec q/r rear wheels with light pneumatic tyres and aluminium handrims
- Pull to lock brakes
- Choice of frame colours



Standard Base price: £1,920

Please make your selection with a cross in the box Free of charge standard feature POA special request

Customer weight = KG

| Code | Description | |
|----------------------|--|--------|
| BASE PRODUCT* | | |
| DCA0012 | KÜSCHALL COMPACT 2.0 | £1,920 |
| DCA0000 | MYKÜSCHALL Special Request - Please include quotation reference in special description at the end of the form where applicable | POA |

| FRAME* | | | | |
|--------------------|--|---|---|---|
| DCA1100 | | Swing away Front frame | (NC 1900, 1902, 3040, 3140) | ○ |
| DCA1110 | | Fixed front frame active, 70° | (NC 1700, 1705, 1710, 1715, 1720, 1725, 1730, 1805, 3000, 3010, 3020, 3030, 3100, 3110, 3120, 3130) | ○ |
| DCA1120 | | Fixed front frame dynamic, 80° (Minimum seat angle, front and rear seat heights is 40 mm with 5" front castors) | (NC 1700, 1705, 1710, 1715, 1720, 1725, 1730, 1805, 1962, 3000, 3010, 3020, 3030, 3100, 3110, 3120, 3130, 5550, 5650) | ○ |
| DCA1130 | | Fixed front frame tapered 70° Additional 10 day leadtime | (NC 1300, 1305, 1700, 1705, 1710, 1715, 1720, 1725, 1730, 1805, 3000, 3010, 3020, 3030, 3100, 3110, 3120, 3130) | ○ |
| DCA1140 | | Fixed front frame tapered 80° (minimum seat angle, front and rear seat heights is 40 mm with 5" front castors) Additional 10 day leadtime | (NC 1300, 1305, 1700, 1705, 1710, 1715, 1720, 1725, 1730, 1805, 1962, 3000, 3010, 3020, 3030, 3100, 3110, 3120, 3130, 5550, 5650) | ○ |
| SEAT WIDTH* | | | | |
| DCA1300 | | 280 mm Single cross brace | (NC 1600, 2210, 2490, 2720, 2730, 2750, 3020, 3030, 3120, 3130, 3260, 6000, 6010, 8450) | ○ |
| DCA1305 | | 300 mm Single cross brace | (NC 1600, 2210, 2490, 2720, 2730, 2750, 3020, 3030, 3120, 3130, 3260, 6000, 6010, 8450) | ○ |
| DCA1310 | | 320 mm Single cross brace | (NC 1600, 2490, 2720, 2730, 2750, 3020, 3030, 3120, 3130, 3260, 6000, 6010, 8450) | ○ |
| DCA1315 | | 340 mm Single cross brace | (NC 1600, 2490, 2720, 2730, 2750, 3020, 3030, 3120, 3130, 3260, 6000, 6010, 8450) | ○ |
| DCA1320 | | 360 mm Single cross brace | (NC 2490, 3020, 3030, 3120, 3130) | ○ |
| DCA1325 | | 380 mm Single cross brace | (NC 2490, 3020, 3030, 3120, 3130) | ○ |
| DCA1330 | | 400 mm Single cross brace | | ◆ |
| DCA1335 | | 420 mm Single cross brace | | ○ |
| DCA1340 | | 440 mm Double cross brace | | ○ |
| DCA1345 | | 460 mm Double cross brace | | ○ |
| DCA1350 | | 480 mm Double cross brace | | ○ |
| DCA1355 | | 500 mm Double cross brace | (NC 2210) | ○ |
| SEAT DEPTH* | | | | |
| DCA1400 | | 320 mm | (NC 2155, 2160, 2720, 2730, 2750, 5650) | ○ |
| DCA1405 | | 340 mm | (NC 2155, 2160, 2720, 2730, 5650) | ○ |
| DCA1415 | | 360 mm | (NC 2720, 2730, 5650) | ○ |
| DCA1425 | | 380 mm | (NC 2720, 2730, 5650) | ○ |
| DCA1435 | | 400 mm | | ◆ |
| DCA1445 | | 420 mm | | ○ |
| DCA1460 | | 440 mm | | ○ |
| DCA1470 | | 460 mm | | ○ |
| DCA1480 | | 480 mm | | ○ |
| DCA1490 | | 500 mm | | ○ |

| BACK HEIGHT* | | | |
|---|--|---|---|
| DCA1600 | | Back Height for 3rd party backrest. Final height depends on the height of the positioning backrest, select if MatrX/Fixed backrest is required. | (NC 2120, 2200, 2210, 2220, 2230, 2595) ○ |
| DCA1615 | | 300 mm | (NC 2140, 2210, 2240, 2595, 7600) ○ |
| DCA1620 | | 315 mm | (NC 2140, 2210, 2240, 2595, 7600) ○ |
| DCA1625 | | 330 mm | (NC 2140, 2210, 2240, 2595, 7600) ○ |
| DCA1630 | | 345 mm | (NC 2210, 2240, 2595, 7600) ○ |
| DCA1635 | | 360 mm | (NC 2240, 2595, 7600) ○ |
| DCA1640 | | 375 mm | (NC 2240, 2595, 7600) ○ |
| DCA1645 | | 390 mm | (NC 2240, 2595, 7600) ○ |
| DCA1650 | | 405 mm | (NC 2240) ○ |
| DCA1655 | | 420 mm | (NC 2240) ◆ |
| DCA1660 | | 435 mm | (NC 2240) ○ |
| DCA1665 | | 450 mm | (NC 2240) ○ |
| DCA1670 | | 465 mm | (NC 2240) ○ |
| DCA1675 | | 480 mm | (NC 2240) ○ |
| DCA1680 | | 495 mm | (NC 2240) ○ |
| DCA1685 | | 510 mm | (NC 2240) ○ |
| FRONT SEAT HEIGHT. Seat heights 380mm TO 430mm offers a unique front frame design to achieve a lower front seat height, only available for the Compact Swing option* | | | |
| DCA1700 | | 370 mm | (NC 1810, 1815, 1820, 1825, 1830, 1835, 1840, 1845, 1850, 1855, 1860, 1865, 1870, 1932, 1934, 1936, 1938, 1940, 1942, 1944, 1946, 1948, 1950, 1952, 1954, 1956, 1958, 1960, 1962, 3030, 3130, 6410, 6420, 7600) ○ |
| DCA1705 | | 380 mm | (NC 1815, 1820, 1825, 1830, 1835, 1840, 1845, 1850, 1855, 1860, 1865, 1870, 1934, 1936, 1938, 1940, 1942, 1944, 1946, 1948, 1950, 1952, 1954, 1956, 1958, 1960, 1962, 3030, 3130, 6410, 6420, 7600) ○ |
| DCA1710 | | 390 mm | (NC 1820, 1825, 1830, 1835, 1840, 1845, 1850, 1855, 1860, 1865, 1870, 1936, 1938, 1940, 1942, 1944, 1946, 1948, 1950, 1952, 1954, 1956, 1958, 1960, 1962, 3030, 3130, 6410, 6420, 7600) ○ |
| DCA1715 | | 400 mm | (NC 1825, 1830, 1835, 1840, 1845, 1850, 1855, 1860, 1865, 1870, 1938, 1940, 1942, 1944, 1946, 1948, 1950, 1952, 1954, 1956, 1958, 1960, 1962, 3030, 3130, 6410, 6420, 7600) ○ |
| DCA1720 | | 410 mm | (NC 1830, 1835, 1840, 1845, 1850, 1855, 1860, 1865, 1870, 1940, 1942, 1944, 1946, 1948, 1950, 1952, 1954, 1956, 1958, 1960, 1962, 3030, 3130) ○ |
| DCA1725 | | 420 mm | (NC 1835, 1840, 1845, 1850, 1855, 1860, 1865, 1870, 1942, 1944, 1946, 1948, 1950, 1952, 1954, 1956, 1958, 1960, 1962) ○ |
| DCA1730 | | 430 mm | (NC 1840, 1845, 1850, 1855, 1860, 1865, 1870, 1944, 1946, 1948, 1950, 1952, 1954, 1956, 1958, 1960, 1962) ○ |
| DCA1735 | | 440 mm | (NC 1845, 1850, 1855, 1860, 1865, 1870, 1946, 1948, 1950, 1952, 1954, 1956, 1958, 1960, 1962) ○ |
| DCA1740 | | 450 mm | (NC 1850, 1855, 1860, 1865, 1870, 1948, 1950, 1952, 1954, 1956, 1958, 1960, 1962) ○ |
| DCA1745 | | 460 mm | (NC 1855, 1860, 1865, 1870, 1950, 1952, 1954, 1956, 1958, 1960, 1962) ○ |
| DCA1750 | | 470 mm | (NC 1860, 1865, 1870, 1952, 1954, 1956, 1958, 1960, 1962) ○ |
| DCA1755 | | 480 mm | (NC 1805, 1865, 1870, 1954, 1956, 1958, 1960, 1962) ○ |
| DCA1760 | | 490 mm | (NC 1805, 1810, 1956, 1958, 1960, 1962) ○ |
| DCA1765 | | 500 mm | (NC 1805, 1810, 1815, 1958, 1960, 1962) ◆ |
| DCA1770 | | 510 mm | (NC 1805, 1810, 1815, 1820, 1960, 1962) ○ |
| DCA1775 | | 520 mm | (NC 1805, 1810, 1815, 1820, 1825, 1962) ○ |
| DCA1780 | | 530 mm | (NC 1805, 1810, 1815, 1820, 1825, 1830) ○ |

| REAR SEAT HEIGHT* | | | | |
|--|--|--------|-----------------------------|---|
| DCA1805 | | 370 mm | (NC 6410, 6420, 6430) | ○ |
| DCA1810 | | 380 mm | (NC 6410, 6420, 6430) | ○ |
| DCA1815 | | 390 mm | (NC 6420, 6430) | ○ |
| DCA1820 | | 400 mm | (NC 6420, 6430) | ○ |
| DCA1825 | | 410 mm | (NC 6420, 6430) | ○ |
| DCA1830 | | 420 mm | | ○ |
| DCA1835 | | 430 mm | | ○ |
| DCA1840 | | 440 mm | | ○ |
| DCA1845 | | 450 mm | | ◆ |
| DCA1850 | | 460 mm | | ○ |
| DCA1855 | | 470 mm | | ○ |
| DCA1860 | | 480 mm | (NC 6400) | ○ |
| DCA1865 | | 490 mm | (NC 6400) | ○ |
| DCA1870 | | 500 mm | (NC 6400, 6410) | ○ |
| LOWER LEG LENGTH. Cushion height must be deducted* | | | | |
| DCA1900 | | 200 mm | (NC 3030, 3130) | ○ |
| DCA1902 | | 210 mm | (NC 3030, 3130) | ○ |
| DCA1904 | | 220 mm | (NC 3030, 3130) | ○ |
| DCA1906 | | 230 mm | (NC 3030, 3130) | ○ |
| DCA1908 | | 240 mm | (NC 3030, 3130) | ○ |
| DCA1910 | | 250 mm | (NC 3030, 3130) | ○ |
| DCA1912 | | 260 mm | (NC 3030, 3130) | ○ |
| DCA1914 | | 270 mm | (NC 3030, 3130) | ○ |
| DCA1916 | | 280 mm | (NC 3030, 3130) | ○ |
| DCA1918 | | 290 mm | (NC 3030, 3130) | ○ |
| DCA1920 | | 300 mm | (NC 3030, 3130) | ○ |
| DCA1922 | | 310 mm | (NC 3030, 3130) | ○ |
| DCA1924 | | 320 mm | (NC 3030, 3130) | ○ |
| DCA1926 | | 330 mm | (NC 3030, 3130) | ○ |
| DCA1928 | | 340 mm | (NC 3030, 3130) | ○ |
| DCA1930 | | 350 mm | (NC 3030, 3130) | ○ |
| DCA1932 | | 360 mm | (NC 3030, 3130) | ○ |
| DCA1934 | | 370 mm | (NC 3030, 3130) | ○ |
| DCA1936 | | 380 mm | | ○ |
| DCA1938 | | 390 mm | | ○ |
| DCA1940 | | 400 mm | | ○ |
| DCA1942 | | 410 mm | | ○ |
| DCA1944 | | 420 mm | | ○ |
| DCA1946 | | 430 mm | | ◆ |
| DCA1948 | | 440 mm | | ○ |
| DCA1950 | | 450 mm | | ○ |
| DCA1952 | | 460 mm | | ○ |
| DCA1954 | | 470 mm | | ○ |
| DCA1956 | | 480 mm | | ○ |
| DCA1958 | | 490 mm | | ○ |
| DCA1960 | | 500 mm | | ○ |
| DCA1962 | | 510 mm | (NC 3000, 3100, 3010, 3110) | ○ |

| BACKREST TYPE* | | | |
|-----------------------------------|--|--|------|
| DCA2110 | | Fixed straight backrest tubes set at 90° (NC 2155, 2160, 2165, 2170, 2175, 2180) | ◆ |
| DCA2120 | | Fixed backrest with lumbal bend angled at 7° (NC 2155, 2160, 2165, 2170, 2175, 2180) | ○ |
| DCA2130 | | Angle adjustable back (angle must be selected from the options below) | £192 |
| DCA2140 | | Fold down, angle adjustable back, folds onto seat (angle must be selected from the options below) (NC 2180, 2430, 3520, 3620) | £196 |
| BACKREST ANGLE* | | | |
| DCA2155 | | Angle adjustable backrest, adjusted 82° | ○ |
| DCA2160 | | Angle adjustable backrest, adjusted 86° | ○ |
| DCA2165 | | Angle adjustable backrest, adjusted 90° | ○ |
| DCA2170 | | Angle adjustable backrest, adjusted 94° | ○ |
| DCA2175 | | Angle adjustable backrest, adjusted 98° | ○ |
| DCA2180 | | Angle adjustable backrest, adjusted 102° | ○ |
| DCA0000 | | Without angle adjustment. select with options 2110 fixed and 2120 lumbal backrests, supplied with fixed angle | ○ |
| BACKREST UPHOLSTERY* | | | |
| DCA2200 | | Black Standard Light Upholstery, without Tension Adjustment (NC 2400, 2430, 2595) | ◆ |
| DCA2210 | | Lightweight back upholstery, no tension adjustment (NC 2430, 2595) | £66 |
| DCA2220 | | Tension Adjustable Backrest, with Premium Black Nylon and Reflective Trim Upholstery Cover, Back Pocket/hook and loop fastener | £130 |
| DCA2230 | | Tension Adjustable Backrest, with Black Aero, Breathable Spacer Upholstery Cover, Back Pocket/hook and loop fastener | £212 |
| DCA2240 | | Without Backrest Upholstery Select if fitting a Matrx/Fixed backrest, no upholstery required (NC 2595) | ○ |
| PUSH HANDLES* | | | |
| DCA2400 | | Without Push Handles (NC 2490) | ○ |
| DCA2410 | | Push Handles Fixed Short/Mini Grip (NC 2490, 6580) | ○ |
| DCA2420 | | Push Handles Fixed Long Grip | ◆ |
| DCA2430 | | Push handles height adjustable, rear set (maximum height of push handles is rear seat height plus 600mm) (NC 2490, 3520, 3620) | £241 |
| DCA2440 | | Push Handles Height Adjustable, Integrated in backrest (NC 2490, 2595) | £208 |
| DCA2450 | | Push Handles Foldable (NC 2490, 2595, 6580) | £188 |
| HEADREST | | | |
| DCA2490 | | Headrest (NC 2595, 6580) | £160 |
| BACKREST STABILIZATION BAR | | | |
| DCA2595 | | Backrest Stabilization Bar, Swingaway and Removable | £156 |
| SEAT UPHOLSTERY* | | | |
| DCA2610 | | Standard seat upholstery with 1 central band (loop) | ○ |
| DCA2620 | | Seat upholstery with 1 central (loop) and 2 side bands (hook) | ◆ |
| SEAT CUSHION | | | |
| DCA2700 | | Standard seat cushion, 60 mm double foam with visco top | £63 |
| DCA2720 | | Matrx Libra Cushion, Black Smooth Cover - Very High Risk. Additional 7 days leadtime | £379 |
| DCA2730 | | Matrx Vi Cushion, Black Smooth Cover - High Risk. Additional 7 days leadtime | £351 |
| DCA2750 | | Vicair Active O2 lightweight cushion 6cm deep | £495 |
| SEAT BAG | | | |
| DCA2800 | | Seat Bag, Click in and removable | £70 |

| LEGREST TYPE RH* | | | | |
|--------------------------|--|--|---|------|
| DCA3000 | | Legrest 70° RH | (NC 3110, 9999) | ◆ |
| DCA3010 | | Legrest 80° RH | (NC 3100, 5650, 9999) | ○ |
| DCA3020 | | Amputee legrest RH | (NC 3280, 3300, 3305, 3310) | £131 |
| DCA3030 | | Angle adjustable legrest - RH, including angle, width and depth adjustable plastic footplate | (NC 3280, 3300, 3305, 3310) | £113 |
| DCA3040 | | Without Legrests RH, Select with fixed front frames | | ○ |
| LEGREST TYPE LH* | | | | |
| DCA3100 | | Legrest 70° LH | (NC 9999) | ◆ |
| DCA3110 | | Legrest 80° LH | (NC 5650, 9999) | ○ |
| DCA3120 | | Amputee legrest LH | (NC 3280, 3300, 3305, 3310) | £131 |
| DCA3130 | | Angle adjustable legrest - LH, including angle, width and depth adjustable plastic footplate | (NC 3280, 3300, 3305, 3310) | £113 |
| DCA3140 | | Without Legrests LH, Select with fixed front frames | | ○ |
| FOOTREST* | | | | |
| DCA3260 | | 2 pc. Plastic flip up | | ◆ |
| DCA3270 | | 2 pc. Carbon angle and depth adjustable | (NC 3310) | £316 |
| DCA3280 | | 1 pc. Carbon flip-up to the left, angle and depth adjustable | (NC 3310) | £159 |
| DCA9999 | | No footrest (Select when ordering Amputee brackets both sides) | | ○ |
| CALF STRAP | | | | |
| DCA3300 | | Calf strap mounted on the frame | | ○ |
| DCA3305 | | Calf strap mounted on bracket | | ○ |
| HEEL LOOPS | | | | |
| DCA3310 | | Heel loops | | ○ |
| CLOTHESGUARDS/MUDGUARDS* | | | | |
| DCA3405 | | Composite clothes guards, removable | (NC 3500, 3510, 3530, 3540, 3600, 3610, 3630, 3640, 7600, 8450) | ◆ |
| DCA3410 | | Carbon clothes guards, fixed | (NC 3500, 3510, 3530, 3540, 3600, 3610, 3630, 3640, 7600, 8450) | ○ |
| DCA3430 | | Carbon mudguards, fixed | (NC 3500, 3510, 3530, 3540, 3600, 3610, 3630, 3640, 6000, 6010, 6140, 6150, 6580, 7600, 8450) | £235 |
| DCA3440 | | Carbon mudguards, removable | (NC 3500, 3510, 3530, 3540, 3600, 3610, 3630, 3640, 6140, 6150, 8450) | £292 |
| DCA6666 | | Without clothesguards or mudguards, select only with options 3500, 3510, 3530, 3540, 3600, 3610, 3630 or 3640 Armrests supplied with clothesguards | (NC 3520, 3620) | ○ |
| ARMREST RH* | | | | |
| DCA3500 | | Armrest, Height Adjustable, Short Armpad (T-Arm), Non-locking, Carbon Clothesguard included RH | (NC 6150) | ○ |
| DCA3510 | | Armrest, Height Adjustable, Long Armpad (T-Arm), Non-locking, Carbon Clothesguard included RH | (NC 6150) | ○ |
| DCA3520 | | Tubular Armrest. Height Adjustable, Removable, Non-locking, Swing-away and Comfort Padded, no Clothesguard included | (NC 8450) | £113 |
| DCA3530 | | Küschall armrest, height adjustable, removable, swing-away, desk armpad with black neopreen sideguard upholstery, RH | (NC 6130, 6140, 6150) | £169 |
| DCA3540 | | Hemi armrest, height adjustable, removable, swing-away, with hemi armpad RH | (NC 6130, 6140, 6150, 8450) | £98 |
| DCA7777 | | Without armrest, select with Clothesguard/Mudguard options | (NC 3500, 3510, 3530, 3540) | ○ |

| ARMREST LH* | | | |
|---------------------------|--|--|------|
| DCA3600 | | Armrest, Height Adjustable, Short Armpad (T-Arm), Non-locking, Carbon Clothesguard included LH | ○ |
| DCA3610 | | Armrest, Height Adjustable, Long Armpad (T-Arm), Non-locking, Carbon Clothesguard included LH | ○ |
| DCA3620 | | Tubular Armrest. Height Adjustable, Removable, Non-locking, Swing-away and Comfort Padded, no Clothesguard included LH (NC 8450) | £113 |
| DCA3630 | | Küschall armrest, height adjustable, removable, swing-away, desk armpad with black neopreen sideguard upholstery, LH (NC 6130, 6140, 6150) | £169 |
| DCA3640 | | Küschall hemi armrest, height adjustable, removable, swing-away, with hemi armpad LH (NC 6130, 6140, 6150, 8450) | £98 |
| DCA8888 | | Without armrest, select with Clothesguard/Mudguard options (NC 3600, 3610, 3630, 3640) | ○ |
| FRAME COLOUR* | | | |
| DCA4000 | | Space Black (RAL 9005) | ○ |
| DCA4010 | | Anthracite Grey (RAL 7016) | ○ |
| DCA4020 | | Pure White (RAL 9016) (NC 4220) | ○ |
| DCA4030 | | Carmine Red (RAL 3002) | ○ |
| DCA4040 | | Azure Blue (RAL 5017) | ○ |
| DCA4060 | | Flashy Yellow (RAL 1016) (Additional 10 day lead time) | £29 |
| DCA4070 | | Atomic Violet (Additional 10 day lead time) | £29 |
| DCA4100 | | Black Glossy (RAL 9005) (Additional 10 day lead time) | £29 |
| DCA4130 | | Silver Grey (RAL 9006) (Additional 10 day lead time) | £29 |
| DCA4140 | | Royal Blue (Additional 10 day lead time) | £29 |
| DCA4150 | | Ruby Red (RAL 3003) (Additional 10 day lead time) | £29 |
| DCA4170 | | Dynamite Orange (Additional 10 day lead time) | £29 |
| DCA4180 | | Forest Green (RAL 6029) (Additional 10 day lead time) | £29 |
| DCA4050 | | Personal frame colour. Provide standard RAL colour code of your choice | £295 |
| FRAME DECAL TYPE* | | | |
| DCA4190 | | Bold Decal (Full coloured transfer on frame) (NC 4300, 4310, 1111) | £29 |
| DCA4195 | | Tag (Small Küschall brand transfer on front of frame) (NC 4200, 4210, 4220, 4230, 4240, 4250, 2222) | ◆ |
| DCA4197 | | Without Tag (Kuschall branding only) (NC 4200, 4210, 4220, 4230, 4240, 4250, 4300, 4310) | ○ |
| BOLD DECAL COLOUR* | | | |
| DCA4200 | | Black | ○ |
| DCA4210 | | Dark Grey | ○ |
| DCA4220 | | Light Grey | ○ |
| DCA4230 | | Red | ○ |
| DCA4240 | | Blue | ○ |
| DCA4250 | | Gold | ○ |
| DCA1111 | | No bold colour, select only with Option DCA4195 Tag or DCA4197 Without Tag (NC 4190) | ○ |
| TAG COLOUR* | | | |
| DCA4300 | | Black | ○ |
| DCA4310 | | Red | ○ |
| DCA2222 | | No tag colour, select only with Option DCA4190 Bold Decal or DCA4197 Without Tag (NC 4195) | ○ |

| FRONT CASTORS* | | | |
|--|--|--|--|
| DCA5050 | | 100mm x 30mm (4" x 1.2") Everyday Black hub and tyre | ○ |
| DCA5100 | | 100mm x 30mm (4" x 1.2") Comfort Black hub and tyre | ○ |
| DCA5150 | | 100mm x 25mm (4" x 1") Starec Black hub and tyre | £79 |
| DCA5200 | | 100mm x 36mm (4" x 1.4") Aluminium Softroll Black hub and tyre (Frog Legs) | £88 |
| DCA5250 | | 100mm x 36mm (4" x 1.4") Aluminium Softroll Silver hub, Black tyre (Frog Legs) | £88 |
| DCA5300 | | 125mm x 30mm (5" x 1.2") Everyday Black hub and tyre | ○ |
| DCA5350 | | 125mm x 30mm (5" x 1.2") Comfort Black hub and tyre | ◆ |
| DCA5400 | | 125mm x 25mm (5" x 1") Starec Black hub and tyre | £79 |
| DCA5450 | | 125mm x 36mm (5" x 1.4") Aluminium Softroll Black hub and tyre (Frog Legs) | £88 |
| DCA5500 | | 125mm x 36mm (5" x 1.4") Aluminium Softroll Silver hub, Black tyre (Frog Legs) | £88 |
| DCA5550 | | 150mm x 30mm (6" x 1.2") Comfort Black hub and tyre | ○ |
| DCA5650 | | 175mm x 30mm (7" x 1.2") Comfort Black hub and tyre | ○ |
| ONE ARM DRIVE | | | |
| DCA6000 | | One Arm Drive system Right side (with light wheel 7 bar tyres, alu handrims) | (NC 6040, 6130, 6140, 6150, 6300, 6400, 6420, 6430, 6510, 6520, 6550, 6580, 6600, 6620, 6630, 6640, 6680, 6840, 6900, 6700, 6710, 6720, 6740, 6750, 6760, 6770, 6780, 6790, 8680) £458 |
| DCA6010 | | One Arm Drive system Left side (with light wheel 7 bar tyres, alu handrims) | (NC 6040, 6130, 6140, 6150, 6300, 6400, 6420, 6430, 6510, 6520, 6550, 6580, 6600, 6620, 6630, 6640, 6680, 6840, 6900, 6700, 6710, 6720, 6740, 6750, 6760, 6770, 6780, 6790, 8680) £458 |
| REAR WHEEL FIXATION* | | | |
| DCA6020 | | Standard fixation, 4 rear wheel positions | (NC 6140, 6150) ◆ |
| DCA6040 | | Rear wheel extension, 6 rear wheel positions | (NC 6100) £63 |
| REAR WHEEL POSITION. Position 1 is most active and position 6 is most stable* | | | |
| DCA6100 | | 1st Position | (NC 6580, 6840) ○ |
| DCA6110 | | 2nd Position | ○ |
| DCA6120 | | 3rd Position | ◆ |
| DCA6130 | | 4th Position | ○ |
| DCA6140 | | 5th Position | ○ |
| DCA6150 | | 6th Position | ○ |
| QUAD QUICK RELEASE AXLE | | | |
| DCA6300 | | Quad quick release/tetra clip | (NC 6550, 6580) £81 |
| REAR WHEEL SIZE* | | | |
| DCA6400 | | 22" | (NC 6520, 6550, 6600, 6620, 6630, 6660, 6760, 6710, 6720, 6740, 6750, 6760, 6770, 4444) ○ |
| DCA6410 | | 24" | (NC 6640) ◆ |
| DCA6420 | | 25" | (NC 6510, 6580, 6600, 6630, 6640, 6660, 6700, 6710, 6720, 6760, 6770, 6900, 4444) ○ |
| DCA6430 | | 26" | (NC 6520, 6550, 6600, 6630, 6640, 6660, 6720, 6740, 6750, 6760, 6770, 6840, 4444) ○ |

| REAR WHEEL TYPE* | | | |
|-----------------------|--|---|------|
| DCA6510 | | 22", 24", 26" Kuschall Starec Wheel, 24" & 26" Black Cross Spokes, Rim & Hub. 22" Silver Cross-Spokes, Colourless hub and Black rim | ◆ |
| DCA6520 | | 24", 25" High Performance Wheel Black hub and rim (NC 6660) | £173 |
| DCA6550 | | 24", 25" Spinergy LXX, Black hub, rim and 18 spokes in Black (NC 6660) | £580 |
| SWO0907 | | 24", 25" Spinergy SPOX, Chrome hub and 18 spokes in Black. Coloured spokes are available via MyKuschall (NC 6000, 6010, 6660) | £462 |
| SWO0909 | | 24", 25" Spinergy LX, Chrome hub and 12 spokes in Black. Coloured spokes are available via MyKuschall (NC 6000, 6010, 6660) | £698 |
| DCA6580 | | 22", 24", 26" Wheels with Attendant Drum Brake (NC 8680) | £348 |
| DCA3333 | | select with options 6000 and 6010 One Arm Drive wheels, specific wheel supplied | ○ |
| REAR WHEEL TYRE* | | | |
| DCA6600 | | 24" Schwalbe Rightrun Black/Grey Pneumatic tyre | ◆ |
| DCA6620 | | 24", 25", 26" Primo Sentinel tyre. Pneumatic and puncture resistant (NC 6680) | £95 |
| DCA6630 | | 24" MBL Speedlite Super Lightweight (Dual layer very high puncture resistance) | £92 |
| DCA6640 | | 22" Profile Grey Pneumatic tyre 7 Bar | ○ |
| DCA6660 | | 24" Solid Profile Black Tyre (NC 6680, 7230) | £63 |
| DCA4444 | | Select with options 6000 and 6010 One Arm Drive wheels, supplied with specific tyre | ○ |
| ANTI FLAT TYRE INSERT | | | |
| DCA6680 | | Anti-flat tyre tube protection | £21 |
| HANDRIM* | | | |
| DCA6700 | | 22", 24", 26" Supergripp, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance | £212 |
| DCA6710 | | 24", 26" Steel, short tab with 1 hole, mounted at 3cm distance | £59 |
| DCA6720 | | 24" Titanium, long tab with 2 holes for 3cm or 4cm mounting, mounted at 3cm distance | £182 |
| DCA6740 | | 24", 25" Carbolife Gekko, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3 cm distance. Unique shape for low-effort propulsion, with fully integrated rubber strip for extra grip | £304 |
| DCA6750 | | 24", 25" Carbolife Gekko S, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance. Unique shape for low-effort propulsion, with fully integrated rubber strip for extra grip, smaller profile for smaller hands | £304 |
| DCA6760 | | 24" Carbolife Curve L, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance. Unique shape for low-effort propulsion | £270 |
| DCA6770 | | 24" Carbolife Quadro, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance. Unique shape for low-effort propulsion, with full anti-slip coating over the entire handrim | £338 |
| DCA6780 | | 22", 24", 25", 26" Light Aluminium Grey, long tab with 2 holes for 3cm or 4cm mounting, mounted at 3cm distance | ◆ |
| DCA6790 | | 22", 24", 25", 26" Light Aluminium Black, long tab with 2 holes for 3cm or 4cm mounting, mounted at 3 cm distance | £40 |
| DCA5555 | | select with options 6000 and 6010 one arm drive wheels, supplied with specific handrims | ○ |
| CAMBER ANGLE* | | | |
| DCA6820 | | Camber 0° | ◆ |
| DCA6840 | | Camber 3° (NC 7230) | ○ |
| SPOKEGUARD | | | |
| DCA6900 | | 22", 24", 26" Transparent Spokeguards | £120 |

| BRAKES* | | | |
|------------------------------|--|---|------|
| DCA7200 | | Pull Brakes | ◆ |
| DCA7210 | | Standard Push to Lock Brakes, Lever Bent | ○ |
| DCA7220 | | Standard Push to Lock Brakes, Lever Straight | ○ |
| DCA7230 | | Performance Brakes, Push to Lock. Brake barrel flips away from tyre (NC 7300) | £74 |
| DCA7240 | | Active/Scissor Brakes (NC 7300) | £74 |
| DCA7250 | | Light/Compact Active, Aluminium Brakes (NC 7300) | £129 |
| BRAKE LEVER EXTENSION | | | |
| DCA7300 | | Brake Lever Extension | £47 |
| SAFETY OPTIONS | | | |
| DCA7500 | | Anti-tipper Right Maximum of 2 adaptations per side, includes Anti tips, Tipper aid and Cane holder | £116 |
| DCA7510 | | Anti-tipper Left Maximum of 2 adaptations per side, includes Anti tips, Tipper aid and Cane holder | £116 |
| DCA7520 | | Anti-tipper Both sides Maximum of 2 adaptations per side, includes Anti tips, Tipper aid and Cane holder | £232 |
| DCA7600 | | Transportation Kit Includes Standard Pelvic Belt and Tiedown Labels (NC 7800) | £70 |
| DCA7800 | | Standard Pelvic belt | £70 |
| OTHER OPTIONS | | | |
| DCA8000 | | Rear frame protection, plastic guard attached to underside of frame | £18 |
| DCA8010 | | Front frame protection, 2 piece removable with hook and loop | £35 |
| DCA8100 | | Tipper-aid, Right (NC 8200) | £44 |
| DCA8110 | | Tipper-aid, Left (NC 8210) | £44 |
| DCA8120 | | Tipper-aid, Both sides (NC 8200, 8210) | £87 |
| DCA8200 | | Cane holder, Right | £62 |
| DCA8210 | | Cane holder, Left | £62 |
| DCA8450 | | TABLE TRAY | £319 |
| DCA8500 | | Air pump | £12 |
| DCA8550 | | Tool kit | ◆ |
| DCA8680 | | 24" Mountain bike wheels with bag. fitted with specific black tyres and grey aluminium handrims; quick release axles included | £304 |

| | |
|--------------------|--|
| TOTAL PRICE | |
|--------------------|--|

Non Conforming Options:

| | |
|---------|--|
| DCA1300 | 280 mm Single cross brace |
| DCA1305 | 300 mm Single cross brace |
| DCA1600 | Back Height for 3rd party backrest. Final height depends on the height of the positioning backrest, select if Matrix/Fixed backrest is required. |
| DCA1700 | 370 mm |
| DCA1705 | 380 mm |
| DCA1710 | 390 mm |
| DCA1715 | 400 mm |
| DCA1720 | 410 mm |
| DCA1725 | 420 mm |
| DCA1730 | 430 mm |
| DCA1805 | 370 mm |
| DCA1810 | 380 mm |
| DCA1815 | 390 mm |
| DCA1820 | 400 mm |
| DCA1825 | 410 mm |
| DCA1830 | 420 mm |
| DCA1835 | 430 mm |
| DCA1840 | 440 mm |
| DCA1845 | 450 mm |
| DCA1850 | 460 mm |
| DCA1855 | 470 mm |
| DCA1860 | 480 mm |
| DCA1865 | 490 mm |
| DCA1870 | 500 mm |
| DCA1900 | 200 mm |
| DCA1902 | 210 mm |
| DCA1932 | 360 mm |
| DCA1934 | 370 mm |
| DCA1936 | 380 mm |
| DCA1938 | 390 mm |
| DCA1940 | 400 mm |
| DCA1942 | 410 mm |
| DCA1944 | 420 mm |
| DCA1946 | 430 mm |
| DCA1948 | 440 mm |
| DCA1950 | 450 mm |
| DCA1952 | 460 mm |
| DCA1954 | 470 mm |
| DCA1956 | 480 mm |
| DCA1958 | 490 mm |
| DCA1960 | 500 mm |
| DCA1962 | 510 mm |
| DCA2120 | Fixed backrest with lumbal bend angled at 7° |

| | |
|---------|--|
| DCA2140 | Fold down, angle adjustable back, folds onto seat (angle must be selected from the options below) |
| DCA2155 | Angle adjustable backrest, adjusted 82° |
| DCA2160 | Angle adjustable backrest, adjusted 86° |
| DCA2165 | Angle adjustable backrest, adjusted 90° |
| DCA2170 | Angle adjustable backrest, adjusted 94° |
| DCA2175 | Angle adjustable backrest, adjusted 98° |
| DCA2180 | Angle adjustable backrest, adjusted 102° |
| DCA2200 | Black Standard Light Upholstery, without Tension Adjustment |
| DCA2210 | Lightweight back upholstery, no tension adjustment |
| DCA2220 | Tension Adjustable Backrest, with Premium Black Nylon and Reflective Trim Upholstery Cover, Back Pocket/hook and loop fastener |
| DCA2230 | Tension Adjustable Backrest, with Black Aero, Breathable Spacer Upholstery Cover, Back Pocket/hook and loop fastener |
| DCA2240 | Without Backrest Upholstery Select if fitting a Matrix/Fixed backrest, no upholstery required |
| DCA2400 | Without Push Handles |
| DCA2430 | Push handles height adjustable, rear set (maximum height of push handles is rear seat height plus 600mm) |
| DCA2490 | Headrest |
| DCA2595 | Backrest Stabilization Bar, Swingaway and Removable |
| DCA2720 | Matrix Libra Cushion, Black Smooth Cover - Very High Risk. Additional 7 days leadtime |
| DCA2730 | Matrix Vi Cushion, Black Smooth Cover - High Risk. Additional 7 days leadtime |
| DCA2750 | Vicair Active O2 lightweight cushion 6cm deep |
| DCA3000 | Legrest 70° RH |
| DCA3010 | Legrest 80° RH |
| DCA3020 | Amputee legrest RH |
| DCA3030 | Angle adjustable legrest - RH, including angle, width and depth adjustable plastic footplate |
| DCA3040 | Without Legrests RH, Select with fixed front frames |
| DCA3100 | Legrest 70° LH |
| DCA3110 | Legrest 80° LH |
| DCA3120 | Amputee legrest LH |
| DCA3130 | Angle adjustable legrest - LH, including angle, width and depth adjustable plastic footplate |
| DCA3140 | Without Legrests LH, Select with fixed front frames |
| DCA3260 | 2 pc. Plastic flip up |
| DCA3280 | 1 pc. Carbon flip-up to the left, angle and depth adjustable |
| DCA9999 | No footrest (Select when ordering Amputee brackets both sides) |
| DCA3300 | Calf strap mounted on the frame |
| DCA3305 | Calf strap mounted on bracket |
| DCA3310 | Heel loops |
| DCA3500 | Armrest, Height Adjustable, Short Armpad (T-Arm), Non-locking, Carbon Clothesguard included RH |
| DCA3510 | Armrest, Height Adjustable, Long Armpad (T-Arm), Non-locking, Carbon Clothesguard included RH |
| DCA3520 | Tubular Armrest. Height Adjustable, Removable, Non-locking, Swing-away and Comfort Padded, no Clothesguard included |
| DCA3530 | Küschall armrest, height adjustable, removable, swing-away, desk armpad with black neopreen sideguard upholstery, RH |
| DCA3540 | Hemi armrest, height adjustable, removable, swing-away, with hemi armpad RH |
| DCA3600 | Armrest, Height Adjustable, Short Armpad (T-Arm), Non-locking, Carbon Clothesguard included LH |
| DCA3610 | Armrest, Height Adjustable, Long Armpad (T-Arm), Non-locking, Carbon Clothesguard included LH |
| DCA3620 | Tubular Armrest. Height Adjustable, Removable, Non-locking, Swing-away and Comfort Padded, no Clothesguard included LH |
| DCA3630 | Küschall armrest, height adjustable, removable, swing-away, desk armpad with black neopreen sideguard upholstery, LH |

| | |
|---------|---|
| DCA3640 | Küschall hemi armrest, height adjustable, removable, swing-away, with hemi armpad LH |
| DCA4190 | Bold Decal (Full coloured transfer on frame) |
| DCA4195 | Tag (Small Küschall brand transfer on front of frame) |
| DCA4200 | Black |
| DCA4210 | Dark Grey |
| DCA4220 | Light Grey |
| DCA4230 | Red |
| DCA4240 | Blue |
| DCA4250 | Gold |
| DCA1111 | No bold colour, select only with Option DCA4195 Tag or DCA4197 Without Tag |
| DCA4300 | Black |
| DCA4310 | Red |
| DCA2222 | No tag colour, select only with Option DCA4190 Bold Decal or DCA4197 Without Tag |
| DCA5550 | 150mm x 30mm (6" x 1.2") Comfort Black hub and tyre |
| DCA5650 | 175mm x 30mm (7" x 1.2") Comfort Black hub and tyre |
| DCA6000 | One Arm Drive system Right side (with light wheel 7 bar tyres, alu handrims) |
| DCA6010 | One Arm Drive system Left side (with light wheel 7 bar tyres, alu handrims) |
| DCA6040 | Rear wheel extension, 6 rear wheel positions |
| DCA6100 | 1st Position |
| DCA6130 | 4th Position |
| DCA6140 | 5th Position |
| DCA6150 | 6th Position |
| DCA6300 | Quad quick release/tetra clip |
| DCA6400 | 22" |
| DCA6410 | 24" |
| DCA6420 | 25" |
| DCA6430 | 26" |
| DCA6510 | 22", 24", 26" Küschall Starec Wheel, 24" & 26" Black Cross Spokes, Rim & Hub. 22" Silver Cross-Spokes, Colourless hub and Black rim |
| DCA6520 | 24", 25" High Performance Wheel Black hub and rim |
| DCA6550 | 24", 25" Spinergy LXX, Black hub, rim and 18 spokes in Black |
| DCA6580 | 22", 24", 26" Wheels with Attendant Drum Brake |
| DCA6600 | 24" Schwalbe Righrun Black/Grey Pneumatic tyre |
| DCA6620 | 24", 25", 26" Primo Sentinel tyre. Pneumatic and puncture resistant |
| DCA6630 | 24" MBL Speedlite Super Lightweight (Dual layer very high puncture resistance) |
| DCA6640 | 22" Profile Grey Pneumatic tyre 7 Bar |
| DCA6660 | 24" Solid Profile Black Tyre |
| DCA4444 | Select with options 6000 and 6010 One Arm Drive wheels, supplied with specific tyre |
| DCA6680 | Anti-flat tyre tube protection |
| DCA6700 | 22", 24", 26" Supergripp, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance |
| DCA6710 | 24", 26" Steel, short tab with 1 hole, mounted at 3cm distance |
| DCA6720 | 24" Titanium, long tab with 2 holes for 3cm or 4cm mounting, mounted at 3cm distance |
| DCA6740 | 24", 25" Carbolife Gekko, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3 cm distance. Unique shape for low-effort propulsion, with fully integrated rubber strip for extra grip |
| DCA6750 | 24", 25" Carbolife Gekko S, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance. Unique shape for low-effort propulsion, with fully integrated rubber strip for extra grip, smaller profile for smaller hands |

| | |
|---------|--|
| DCA6760 | 24" Carbolife Curve L, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance. Unique shape for low-effort propulsion |
| DCA6770 | 24" Carbolife Quadro, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance. Unique shape for low-effort propulsion, with full anti-slip coating over the entire handrim |
| DCA6780 | 22", 24", 25", 26" Light Aluminium Grey, long tab with 2 holes for 3cm or 4cm mounting, mounted at 3cm distance |
| DCA6790 | 22", 24", 25", 26" Light Aluminium Black, long tab with 2 holes for 3cm or 4cm mounting, mounted at 3 cm distance |
| DCA6840 | Camber 3° |
| DCA6900 | 22", 24", 26" Transparent Spokeguards |
| DCA7230 | Performance Brakes, Push to Lock. Brake barrel flips away from tyre |
| DCA7300 | Brake Lever Extension |
| DCA7600 | Transportation Kit Includes Standard Pelvic Belt and Tiedown Labels |
| DCA7800 | Standard Pelvic belt |
| DCA8200 | Cane holder, Right |
| DCA8210 | Cane holder, Left |
| DCA8450 | TABLE TRAY |
| DCA8680 | 24" Mountain bike wheels with bag. fitted with specific black tyres and grey aluminium handrims; quick release axles included |



For a more complex customer requirement please refer to our Invacare Unique special order form. email specialsuk@invacare.com or Fax: 01656 776220

Special Instructions

Please supply the following information:

Name: _____ Email: _____

Phone: _____ Fax: _____

Description of special request (please include relevant option code or part number):